

DRIVE-10P - PA Loudspeaker

10/2 400 W_{MAX} new



PARALLEL OUTPUT



INPUT



With the passive speaker systems of the DRIVE series, you will get robust and easy-to-use PA speakers which are suitable for versatile applications. These robust and high-quality cabinets made of birch plywood are suitable for general use. The arrangement of the handles allow for easy manageability.

Professional PA speaker system, 400 W

- Compact 10/2 full range system with cabinet made of birch plywood
- 25 cm (10") bass speaker and 25 mm (1") horn tweeter, can be turned by 90°
- Protective circuit for the tweeter
- Excellent sound characteristics
- High-quality coating and neat workmanship
- Multi-purpose positioning and installation options
- Horn tweeter with consistent radiation pattern

- M8 threaded inserts for suspended installation
- 2 x SPEAKER terminal IN/OUT
- Stand sleeve

Technical data:

| | |
|--------------------------------|-------------------------------------|
| Low-impedance | : 1 |
| Active/passive | : passive |
| Transmission technology | : cable |
| Total output power | : - |
| Power rating (RMS) | : - |
| Total power rating | : 400 W |
| Power rating (RMS) | : 200 W |
| Impedance | : 8 Ohm |
| Frequency range | : 55-20,000 Hz |
| THD | : - |
| S/N ratio | : - |
| Input signal | : - |
| System | : 10/2 full range |
| Full range speaker | : - |
| Bass speaker | : 25 cm (10") bass speaker |
| Midrange speaker | : - |
| Tweeter | : 25 mm (1") horn tweeter |
| Number of speakers | : 2 |
| Speaker size | : 25 cm (10") |
| SPL | : 98 dB/W/m |
| Max. rated SPL | : 123 dB |
| Radiation angle/beam angle | : H: 90°/V: 60°, horn can be turned |
| Radiation angle, horizontal | : 90° |
| Radiation angle, vertical | : 60° |
| Features | : - |
| Housing material | : birch plywood |
| Colour | : black |
| Mounting device | : M8 threaded inserts, stand sleeve |
| Protected against ball rebound | : - |
| Protection class | : - |
| Admiss. ambient temp. | : 0-40 °C |
| Power supply | : - |
| Dimensions | : 320 x 530 x 350 mm |
| Width | : 320 mm |
| Height | : 530 mm |

| | |
|--------------------------------|-----------------------------|
| Depth | : 350 mm |
| Weight | : 11.25 kg |
| Inputs | : 1 x SPEAKER jack |
| Outputs | : 1 x SPEAKER jack par. out |
| Replacement voice coil | : - |
| Other features | : - |
| Accessories | : - |
| Packing dimensions (W x H x L) | : 0.46 x 0.65 x 0.43 m |
| Gross weight | : 15.1 kg |
| Net weight | : 11.25 kg |