


## UHC-30 - Horn Speaker



Weatherproof horn speaker

- 8 Ohm speaker system
- IP66 tested, protected against powerful water jets
- For open-air events, industrial use, in workshops
- Mounting bracket and screws made of stainless steel

## Technical data:

Outdoors	: 1
weatherproof	: 1
100 V	: 1
Active/passive	: passive
Transmission technology	: -
Total output power	: -
Power rating (RMS)	: -
Total power rating	: 40 W
Power rating (RMS)	: 20 W
Impedance	: 8 Ohm
Frequency range	: 230-10,000 Hz
THD	: -
S/N ratio	: -
Input signal	: -
System	: -
Full range speaker	: -
Bass speaker	: -
Midrange speaker	: -
Tweeter	: -
Number of speakers	: 1
Speaker size	: -
SPL	: 108 dB/W/m
Max. rated SPL	: -
Radiation angle/beam angle	: H: 75°/V: 75°
Radiation angle, horizontal	: 75°
Radiation angle, vertical	: 75°
Features	: -
Housing material	: aluminium
Colour	: dark grey
Mounting device	: stainless steel mounting bracket
Protected against ball rebound	: -
Protection class	: IP66
Admiss. ambient temp.	: -20 °C to +50 °C
Power supply	: -
Dimensions	: 310 mm x 285 mm

Width	: Å~ 310 mm
Height	: -
Depth	: 285 mm
Weight	: 1.89 kg
Inputs	: -
Outputs	: -
Replacement voice coil	: IT-230/VC
Other features	: weatherproof
Accessories	: -
Packing dimensions (W x H x L)	: 0.33 x 0.32 x 0.33 m
Gross weight	: 2.7 kg
Net weight	: 1.89 kg