

## ESUB-8F/WS - Active Subwoofer



### Aktiv subwoofer, 50 W

- Kompakt aktiv subwoofer i elegant design som supplement til kompakte højttalere - HiFi, PA, hjemmebiograf og hjemmeoptagelser
- Udover volume kontrol, fase kontrol og automatisk On/Off er delefrekvensen også regulerbar (50-250 Hz)
- Højglanspolerede MDF kabinet i høj kvalitet
- 20 cm (8") basenhed
- Input via phonostik og skrueterminaler
- Parallel line out via phonostik
- Ekstra outputs for tilslutning af mid-high range højttalere. Er således velegnede til tilslutning til eksisterende højttaleranlæg
- Hvidt frontstof

## Technical data:

active	: 1
Active/passive	: active
Transmission technology	: -
Total output power	: 90 W
Power rating (RMS)	: 50 W
Total power rating	: -
Power rating (RMS)	: -
Impedance	: -
Frequency range	: 30-250 Hz
THD	: -
S/N ratio	: -
Input signal	: 185 mV/9 kOhm (RCA L/R) 4 V/480 Ohm (high IN)
System	: -
Full range speaker	: -
Bass speaker	: 20 cm (8") bass speaker
Midrange speaker	: -
Tweeter	: -
Number of speakers	: 1
Speaker size	: 20 cm (8")
SPL	: 87 dB/W/m
Max. rated SPL	: 105 dB
Radiation angle/beam angle	: -
Radiation angle, horizontal	: -
Radiation angle, vertical	: -
Features	: -
Housing material	: wood
Colour	: white, high-gloss
Mounting device	: -
Protected against ball rebound	: -
Protection class	: -
Admiss. ambient temp.	: 0-40 °C
Power supply	: &acd; 230 V/50 Hz/152 VA
Dimensions	: 300 x 330 x 340 mm
Width	: 300 mm
Height	: 330 mm



Depth	: 340 mm
Weight	: 9.8 kg
Inputs	: 1 x RCA (L/R), unbal., IN 1 x screw terminals (stereo), high-level IN
Outputs	: 1 x RCA (L/R) 1 x screw terminals (stereo), high-level OUT
Replacement voice coil	: -
Other features	: -
Accessories	: -
Packing dimensions (W x H x L)	: 0.41 x 0.435 x 0.41 m
Gross weight	: 12.52 kg
Net weight	: 10.31 kg