

## MKA-50SET/SW - Active Cabinets



### Aktivt 2-vejs stereo højttalersystem, 2 x 20 W

- Sæt bestående af en aktiv og en passiv højttaler. Den passive højttaler tilsluttes via klemterminaler
- Aktiv højttaler med indbygget 2-kanals forstærker og strømforsyning
- Højttalere med magnetisk afskærmning
- Auto-standby funktion
- Volumenkontrol og 2-vejs tonekontrol

## Technical data:

active	: 1
Master/slave	: 1
Active/passive	: active/passive
Transmission technology	: -
Total output power	: 2 x 40 W
Power rating (RMS)	: 2 x 20 W
Total power rating	: -
Power rating (RMS)	: -
Impedance	: -
Frequency range	: 60-20,000 Hz
THD	: -
S/N ratio	: -
Input signal	: 420 mV/24 kOhm
System	: 2-way
Full range speaker	: -
Bass speaker	: 13 cm (5") bass-midrange speaker
Midrange speaker	: -
Tweeter	: 2.5 cm (1") tweeter
Number of speakers	: 2
Speaker size	: 13 cm (5")
SPL	: 89 dB/W/m
Max. rated SPL	: 102 dB
Radiation angle/beam angle	: -
Radiation angle, horizontal	: -
Radiation angle, vertical	: -
Features	: -
Housing material	: plastic
Colour	: black
Mounting device	: mounting bracket
Protected against ball rebound	: -
Protection class	: -
Admiss. ambient temp.	: 0-40 °C
Power supply	: &acd; 230 V/50 Hz/110 VA
Dimensions	: 180 x 250 x 160 mm
Width	: 180 mm



Height	: 250 mm
Depth	: 160 mm
Weight	: 5.9Â kg (pair)
Inputs	: 1 x RCA L/R (active speak. system only) 1 x 3.5 mm jack screw terminals (both speaker systems)
Outputs	: -
Replacement voice coil	: -
Other features	: pair
Accessories	: -
Packing dimensions (W x H x L)	: 0.21 x 0.27 x 0.435 m
Gross weight	: 6.36 kg
Net weight	: 5.87 kg