

ECMS-90 - Studio Condenser Microphone



Large diaphragm condenser microphone,
for professional studio applications.

- 2.8 cm (1.1") extra thin gold-plated diaphragm
- Low cut switch
- 10 dB attenuation, switchable
- 48 V phantom power
- Supplied with vibration absorbing support (spider) with 16 mm (?) tripod socket and 9 mm (?) adapter screw, microphone windshield and leather bag
- Supplied in a foam-padded case

tools4music 01/2018

"Great quality at an attractive price"

delamar.de 04/2018

"Affordable large diaphragm condenser microphone with cardioid polar pattern, filter, pad and spider: the ECMS-90 from IMG STAGELINE impresses with an absolutely perfect performance in its price class. I really like the well-balanced sound ... It provides a percussive sound which is rich in detail and hardly changes, even if the perfect angle for positioning the microphone deviates by more than 30°. The background noise is almost non-existent. It also features high-quality accessories and impeccable workmanship. All in all, a top microphone for ambitious home recording."

Technical data:

Description	: large diaphragm microphone
Version	: -
Transmission method	: cable
Polar pattern	: cardioid
System	: condenser
Carrier frequency range	: -
Transmitting power	: -
Power supply	: -
Operating time	: -
Audio frequency range	: 20-20,000 Hz
Nominal impedance	: 200 Ohm
Sensitivity	: 20 mV/Pa
S/N ratio	: 78 dB
Max. sound pressure	: 135 dB
Power supply	: DC 48 V, phantom power
Gooseneck length	: -
Housing material	: metal
Admiss. ambient temp.	: 0-40 °C
Dimensions	: Å~ 50 mm x 185 mm
Weight	: 430 g
Cable	: -
Connection	: XLR, bal.
Packing dimensions (W x H x L)	: 0.235 x 0.135 x 0.27 m
Gross weight	: 1.795 kg
Net weight	: 1.616 kg