

NA-2MJTX - Adaptor



NEUTRIK XLR/6.3 mm balancing adapter/ground isolator

- XLR plug to 6.3 mm jack
- Signal will be balanced 1:1 with separated ground, interference and hum loops are prevented
- Galvanic isolation between input signal and output signal
- Input/output impedance: 200 Ohm
- Black aluminium body
- With latching device
- For passive DI applications, e.g. from the output of an instrument to a mixer
- Not suitable for speaker applications!

Technical data:

| | |
|------------------------------|---------------------------------------|
| Description | : balancing adapter/ground isolator |
| Type | : XLR jack |
| Quantity | : 1 |
| Features | : galvanic isolation, balanced signal |
| Colour/colour coding | : black |
| Power rating | : - |
| Insulating resistance | : - |
| Dielectric strength | : - |
| Certification | : - |
| Pole number | : - |
| Cable inlet | : - |
| Suitable cable cross section | : - |
| Connection | : NEUTRIK XLR plug to 6.3 mm jack |
| Strain relief | : - |
| Cable bending protection | : - |
| Stereo | : - |
| Mono | : - |
| Switches | : - |
| Material | : aluminium |
| Central fixing | : - |
| Contact type | : - |
| No. of contacts | : - |
| Contact width | : - |
| Contact distance | : - |
| Admiss. ambient temp. | : 0-40 °C |
| Dimensions | : - |
| Diameter | : - |
| Length | : - |
| Weight | : 70 g |
| Other features | : - |