

## EUL-2SUB/SW - PA Subwoofer



This series of speaker systems including subwoofer from MONACOR sets standards in the modern PA technology:

high-quality lacquered cabinets of a perfect design, lightweight but robust and of high power capability, with an amazing sound and a high efficiency, the EUL-2... with professional 100 V technology. Real PA speaker systems for versatile applications at a very attractive price.

Subwoofer in 100 V line technique

- High-quality cabinet with durable PU coating
- 30 cm (12") bass speaker for a deep and dynamic bass reproduction
- SPEAKON connections (input and sat out/par. out)
- The design and high efficiency perfectly match the EUL-2/SW, but it is also suitable as an addition to many other 100 V systems
- Built-in crossover network (low-pass) allows for an almost unlocatable bass
- Please ensure that the 100 V amplifier provides sufficient power capabilities!

Matching distance tube PAST-25/SW is available at option.

## Technical data:

100 V	: 1
Active/passive	: passive
Transmission technology	: 100 V
Total output power	: -
Power rating (RMS)	: -
Total power rating	: -
Power rating (RMS)	: 120/90/60/30 W
Impedance	: -
Frequency range	: 38-250 Hz
THD	: -
S/N ratio	: -
Input signal	: -
System	: -
Full range speaker	: -
Bass speaker	: 30 cm (12")
Midrange speaker	: -
Tweeter	: -
Number of speakers	: 1
Speaker size	: 30 cm (12")
SPL	: 95 dB/W/m
Max. rated SPL	: -
Radiation angle/beam angle	: -
Radiation angle, horizontal	: -
Radiation angle, vertical	: -
Features	: -
Housing material	: birch plywood/wood
Colour	: black
Mounting device	: -
Protected against ball rebound	: -
Protection class	: -
Admiss. ambient temp.	: 0-40 °C
Power supply	: -
Dimensions	: 420 x 430 x 445 mm
Width	: 420 mm
Height	: 430 mm

Depth	: 445 mm
Weight	: 18.2 kg
Inputs	: 1 x SPEAKON IN
Outputs	: 1 x SPEAKON par. out/sat out
Replacement voice coil	: -
Other features	: -
Accessories	: -
Packing dimensions (W x H x L)	: 0.46 x 0.49 x 0.44 m
Gross weight	: 19.46 kg
Net weight	: 18.26 kg