



NR-10M - Horn Speaker



Flush-mount horn speaker (music horn) with full range speaker, 4 Ohm

- For wall mounting and ceiling installation
- After installation weatherproof and IP54 certified
- 4 Ohm speaker system
- 5 cm (2.5") full range speaker with horn front attachment
- Suitable for general indoor and outdoor applications wherever a high sound pressure level and an excellent sound are required
- ABS plastic housing
- Mounting flange with foam rubber sealing

Technical data:

Outdoors	: 1
weatherproof	: 1
Low-impedance	: 1
Active/passive	: passive
Transmission technology	: -
Total output power	: -
Power rating (RMS)	: -
Total power rating	: 20 W
Power rating (RMS)	: 10 W
Impedance	: 4 Ohm
Frequency range	: 200-15,000 Hz
THD	: -
S/N ratio	: -
Input signal	: -
System	: -
Full range speaker	: -
Bass speaker	: -
Midrange speaker	: -
Tweeter	: -
Number of speakers	: 1
Speaker size	: -
SPL	: 98 dB/W/m
Max. rated SPL	: -
Radiation angle/beam angle	: H: 100°/V: 100°
Radiation angle, horizontal	: 100°
Radiation angle, vertical	: 100°
Features	: full range speaker
Housing material	: ABS
Colour	: grey
Mounting device	: mounting flange with foam rubber sealing
Protected against ball rebound	: -
Protection class	: IP54
Admiss. ambient temp.	: 0-40 °C
Power supply	: -
Dimensions	: 120 x 120 x 120 mm mounting cutout: 101 mm

Width	: 120 mm
Height	: 120 mm
Depth	: 120 mm
Weight	: 0.48 kg
Inputs	: -
Outputs	: -
Replacement voice coil	: -
Other features	: weatherproof
Accessories	: -
Packing dimensions (W x H x L)	: 0.15 x 0.125 x 0.15 m
Gross weight	: 0.556 kg
Net weight	: 0.487 kg