
NR-10M - Horn Speaker





Flush-mount horn speaker (music horn) with full range speaker, 4 Ohm

- For wall mounting and ceiling installation
- After installation weatherproof and IP54 certified
- 4 Ohm speaker system
- 5 cm (2.5") full range speaker with horn front attachment
- Suitable for general indoor and outdoor applications wherever a high sound pressure level and an excellent sound are required
- ABS plastic housing
- Mounting flange with foam rubber sealing

Technical data:

Outdoors	:	1
weatherproof	:	1
Low-impedance	:	1
Active/passive	:	passive
Transmission technology	:	-
Total output power	:	-
Power rating (RMS)	:	-
Total power rating	:	20 W
Power rating (RMS)	:	10 W
Impedance	:	4 Ohm
Frequency range	:	200-15,000 Hz
THD	:	-
S/N ratio	:	-
Input signal	:	-
System	:	-
Full range speaker	:	-
Bass speaker	:	-
Midrange speaker	:	-
Tweeter	:	-
Number of speakers	:	1
Speaker size	:	-
SPL	:	98 dB/W/m
Max. rated SPL	:	-
Radiation angle/beam angle	:	H: 100°/V: 100°
Radiation angle, horizontal	:	100°
Radiation angle, vertical	:	100°
Features	:	full range speaker
Housing material	:	ABS
Colour	:	grey
Mounting device	:	mounting flange with foam rubber sealing
Protected against ball rebound	:	-
Protection class	:	IP54
Admiss. ambient temp.	:	0-40 °C
Power supply	:	-
Dimensions	:	120 x 120 x 120Â mm mounting cutout:Â Ã˜Â 101Â mm

Width	: 120 mm
Height	: 120 mm
Depth	: 120 mm
Weight	: 0.48 kg
Inputs	: -
Outputs	: -
Replacement voice coil	: -
Other features	: weatherproof
Accessories	: -
Packing dimensions (W x H x L)	: 0.15 x 0.125 x 0.15 m
Gross weight	: 0.556 kg
Net weight	: 0.487 kg