


## SA-230/SW - Amplifier



### Universal stereo mixerforstærker, 50 W

SA-230/SW's overskuelige brugerflade gør det til en stor fornøjelse at lytte til - og især fremstille - musik. Tre stereo- og tre mikrofonindgange. Ved brug af særlige karaoke CD'er eller DVD'er er funktioner som "one-touch karaoke" eller "vocal partner" tilgængelige. Et justerbart digitalt ekko kan tilføjes som effekt til mikrofonindgangene. Forstærkerens blæserfri kølesystem sikrer, at den er lydløs i brug. De nyeste beskyttelseskredsløb beskytter mod overbelastning, overophedning og kortslutning.

- Lydløs i brug: blæserfrit kølesystem
- 3 stereo line-indgange
- 3 mikrofonindgange på frontpanel med gain kontrol
- Justerbart digitalt ekko til mikrofonindgange
- Karaoke funktion
- Vocal partner funktion
- LED-indikator for level kontrol og aktive line indgange
- Volumen-, bas-, diskant- og digitalt ekkokontrol
- Stereo optageudgang
- 482 mm (19") rack installation, 1 U, monteringsbeslag medfølger

## Technical data:

Fanless	: 1
Peak output power	: 2 x 50 W
Power rating	: 50 W
Power rating at 2 Ohm	: -
Power rating at 4 Ohm	: 2 x 25 W
Power rating at 8 Ohm	: 2 x 20 W
Power rating at 16 Ohm	: -
Power rating at 100 V	: -
Power rating with 4 Ohm bridged operation	: -
Power rating with 8 Ohm bridged operation	: -
Output impedance	: -
Channels	: 2
Zones	: -
Inputs	: 175Â mV/8Â kOhm (line)2.5Â mV/3.5Â kOhm (mic)
Attenuation factor	: -
Frequency range	: 20-20,000 Hz
Crossover network	: -
Crossover frequency	: -
Integrated limiter	: -
Equalizer bass	: $\pm 10$ dB
Equalizer midrange	: -
Equalizer treble	: $\pm 10$ dB
S/N ratio	: 62 dB
Crosstalk attenuation	: -
THD	: -
Phantom power	: -
Mains voltage	: $\approx$ 230 V
Mains frequency	: 50 Hz
Power consumption, operation	: 150 VA
Power consumption, standby	: -
Standby current	: -
Operating voltage (possible alternative)	: -
Power supply (possible alternative)	: -
Admiss. ambient temp.	: 0-40 °C

Width

: 432 mm





Height	: 45 mm
Depth	: 275 mm
Rack units, RU	: 1
Weight	: 3.8 kg
Connections	: 1 x RCA L/R (line), 1 x 6.3 mm jack (mic), 1 x RCA L/R (rec.), 4 x spring-load. speaker term. (speakers)
Packing dimensions (W x H x L)	: 0.27 x 0.055 x 0.43 m
Gross weight	: 4.42 kg
Net weight	: 3.86 kg