



TRAVELX-1 - Studio Condenser USB Mic.



TRAVELX-1 Frequency Response



TRAVELX-1 Polar Pattern



USB small diaphragm condenser microphone,
for podcasts, conferences and home office.

- For operating directly at a PC or laptop
- No driver installation required, device will be identified automatically
- Integrated high-quality A/D converter: 48 kHz/16 bits

- 1.25 cm (½") diaphragm
- Mute button
- Scope of delivery: desk stand with threaded screw, 1.25 m USB connection cable and velvet bag
- Suitable for Windows 7/8/10 or Mac OS X

Technical data:

Description	: small diaphragm microphone
Version	: USB
Transmission method	: cable
Polar pattern	: cardioid
System	: electret condenser
Carrier frequency range	: -
Transmitting power	: -
Power supply	: -
Operating time	: -
Audio frequency range	: 50-18,000 Hz
Nominal impedance	: -
Sensitivity	: 6.3 mV/Pa
S/N ratio	: 59 dB (at 1 kHz)
Max. sound pressure	: 115 dB
Power supply	: DC 5Â V via USB interface
Gooseneck length	: -
Housing material	: diecast zinc
Admiss. ambient temp.	: 0-40 °C
Dimensions	: 54 x 112 x 40 mm
Weight	: 133 g
Cable	: 1.25 m
Connection	: micro USB jack
Packing dimensions (W x H x L)	: 0.146 x 0.187 x 0.057 m
Gross weight	: 0.387 kg
Net weight	: 0.232 kg
Audio Codecs	: -
PoE	: -
LAN	: -
Software, app	: -
Sampling rates	: 48 kHz
Resolution	: 16 Bit