
-

Technical data:

Outdoors	: 1
weatherproof	: 1
DSP	: 1
Dante ⁽ⁿ⁾	: 1
Smart Home Ready	: 1
App support	: 1
Active/passive	: active
Transmission technology	: Dante ⁽ⁿ⁾
Total output power	: 20 W
Power rating (RMS)	: 20 W
Total power rating	: -
Power rating (RMS)	: -
Impedance	: -
Frequency range	: 100-20,000 Hz
THD	: -
S/N ratio	: -
Input signal	: Dante ⁽ⁿ⁾
System	: -
Full range speaker	: -
Bass speaker	: -
Midrange speaker	: -
Tweeter	: -
Number of speakers	: 2
Speaker size	: -
SPL	: 98 dB/W/m
Max. rated SPL	: 112 dB
Radiation angle/beam angle	: H: 100°/V: 60°
Radiation angle, horizontal	: 100°
Radiation angle, vertical	: 60°
Features	: 2-way
Housing material	: ABS
Colour	: grey
Mounting device	: stainless steel mounting bracket
Protected against ball rebound	: -
Protection class	: IP66

Admiss. ambient temp.	: -20 °C to +50 °C
Power supply	: PoE
Dimensions	: 420 x 335 x 400 mm
Width	: 420 mm
Height	: 335 mm
Depth	: 400 mm
Weight	: 6.12 kg
Inputs	: 1 x RJ45
Outputs	: -
Replacement voice coil	: -
Other features	: weatherproof
Accessories	: -
Packing dimensions (W x H x L)	: 0.36 x 0.46 x 0.44 m
Gross weight	: 7.55 kg
Net weight	: 6.12 kg